

## 75 cm Built-in Refrigerator Column with internal water dispenser, panel ready reversible door Professional Series



### **RLD75S5FPNS**

These built-in column refrigerators are masterpieces of Bertazzoni design and technology. Their stylish panel ready reversible front doors reflect close attention to detail and high-quality materials, inside and out.

The Dual Cooling Shield System's automated defrosting of evaporator ensures food stays always fresh. Top and lateral LED lighting gives you perfect all-round visibility.

A variable speed compressor ensures accurate temperature control and energy efficiency. Precise temperature dual zone control for optimal food preservation: the Fresco drawers with independent temperature settings (-1 - +5 °C) allows for optimal storage of meat, cold cuts, shellfish, fish and dairy products.

Internal water dispenser with inline filter for hygienically clean drinking water. Digital LED touch interface with user-friendly controls for temperature, speed-cooling and eco mode. Soft-close crispers with metal trims. Height-adjustable gallon-size door storage bin.

Stainless steel door panel kit available as optional accessory. Stainless steel toe kick included in the unit. Connection kit for multiple installations included in freezer columns. Reversible doors for left or right swing configuration.

Using one of the 3 available handle kits in Professional, Master and Heritage Series style, this refrigerator integrates seamlessly with all other Bertazzoni appliances into style-harmonized suites for a true, high-performing kitchen. Handle kits are sold separately.

Bertazzoni column refrigerators are designed with pride in Italy.





# Specificaties

## Eigenschappen

### Koelkasten

Afmeting	75 cm
Koelsysteem	No Frost
Interface	internal digital LED touch interface
Programma opties	Door ajar alarm, Super Cool, Water filter replacement reminder, Water dispenser, Eco Mode, Vacation Mode, Sabbath Mode
Verlichting	LED lights on sides and top
Open deur alarm	ja
Afwerking deur	panel ready
Cabinet finishing	stainless steel back wall
Capaciteit koelkast	470 L
Draagplateaus	3 variabel + 1 vast
Lade koelkast	1 crisper + 3 Fresco drawers with separate temperature control
Deurvakken	1 height-adjustable gallon-sized bin + 2 stationary bins
Water filter	internal
Water supply pressure	25-80 PSI (1.7-5.5 BAR)
Geluidsniveau	39 dbA
DOE compliant	ja

### Technische specificaties


Noise level (dbA)	39
Aansluitwaarden	220-240 V - 50/60 HZ - 112W - 2A
Power connection	SCHUKO with 2,3 meters power cord
Annual energy consumption (kWh)	185.0 kWh

---

# Afmetingen

---

SIDE VIEW



FRONT VIEW

